

GEDORE **SOLID**

Technical Specifications
Product Advantages

Spanners



COMBINATION SPANNER **DIN 3113A**



DOUBLE OPEN END SPANNER **DIN 3110**



RING SPANNER **DIN 838**

**Made from chrome vanadium steel
31CrV3**

Hardened and tempered

Elliptical pattern / oval body

**Double layer Nickel + 1 layer
chrome plated**

Salt Spray Test = 24 hrs. (min.)

**Hardness, Torque, Gauge test as
per DIN standards**

Sockets & Accessories



HEX SOCKETS 1/2"
DIN 3124



IMPACT SOCKETS 1/2"
DIN 1174-2



REVERSIBLE RATCHET 1/2" DIN 3122-3120

Heat formed sockets

Distinctive Ball catch end

Made of forged special selected steel

Hex Sockets are knurled for Better gripping

Dual Material handle for Better gripping

Fine toothed Gear

Easy lever Change mechanism

Pliers



COMBINATION CUTTING
PLIERS **DIN ISO 5746:2004**



DIAGONAL PLIERS **DIN ISO
5749:2004**



LONG NOSE PLIERS **DIN ISO
5745:2004**



BENT NOSE PLIERS **DIN ISO
5749:2004**

Dual component handle

Full body hardened & tempered

**Made of forged special selected
steel**

Induction hardened cutter

Qualifies DIN standards

**Cutting edge lifetime 6000+ hard
wire cuts**

Sleeve pull off test at 42-45 kg

**Rust prevention 90 hours
humidity test**

Pliers



WATER PUMP PLIERS **DIN ISO 9343:2004**

Full body hardened for better strength

Made of forged special CrV steel

Handles with double dipped non-slip cushion grips

Electronically induction hardened jaws

Torque Test as per DIN standards.

Minimum play as per DIN standards.

Rust prevention 90 hours humidity test



ADJUSTABLE WRENCH **DIN ISO 6787:2001**



TOWER PINCER **DIN ISO 9242:1988**

Circlip Pliers



External
Straight

External
Bent

Internal
Straight

Internal
Bent

DIN ISO 5254:1997

Made of forged special selected steel

Black phosphated head polished

Handles double dipped non-slip cushion grips

Full body hardened for better strength

Minimum play as per DIN standards.

Rust prevention 90 hours humidity test.

Screwdriver



DIN ISO 2380

Dual Component Handle

Made of forged CrV/EN42 steel

Full body hardened for better strength

Long handle for comfort grip

Magnetic tip

Wide grip for extra torque

Allen Keys



HEX ALLEN KEYS DIN 911



Opens Hex – slotted head screws

Applies torque to loosen the screw

Long pattern gives you better torque at less force

Induction hardened throughout for better strength

Qualifies DIN standards

Ball-end can easily slide in to the slotted screws

Metal Tool Box



Heavy duty special steel for body construction & handle to provide ultimate durability

For Mechanical Garage and Tools storage solutions

5 compartments

7 storage area

Sheet Thickness 1 mm

Double color painted

Double handle for more comfort

Thank You for your kind Attention !!

Group Mission

To inspire people everywhere in the world by providing high-quality tools and excellent service

Group Vision

Whosoever requires intelligently made, high-quality, safe tools, thinks about GEDORE !

The logo for GEDORE, featuring the word "GEDORE" in a bold, blue, outlined font. The letter "E" at the end is replaced by a blue outline of a right-angled triangle pointing downwards.