


GEDORE

ENTIRE RANGE



1819

ACROSS THE WORLD CLOSE AT HAND



You will find us wherever you are.

Whether in Brazil, China, South Africa or the USA: wherever you need our premium tools and service, we are close at hand.

More than 50 years ago, we already established branches abroad and now avail of extensive experience in international operations. We have five manufacturing facilities in Germany as well as sites in Brazil, England, Austria and South Africa. We distribute our hand and special tools in more than 70 countries via our own branches along with an international network of dealers. So you benefit from short paths, fast delivery times and extensive local services.

We are your strong partner. Wherever you need us.

2300

EMPLOYEES



16000

PRODUCTS

70

COUNTRIES

The **GEDORE** available at the **NEXT** store.

GEDORE solid tools from GEDORE stands for functionality and ease of use so they give you a feeling of having made a SMART CHOICE.

Our more than 100 years of experience combined with high quality German DIN standards and the security that it comes from GEDORE, makes us the ideal partner when it comes to QUALITY, PRICE and DURABILITY.

GEDORE solid - Your Smart Choice

CONTENTS

SPANNERS

- > Double Open End
- > Double Ended Ring
- > Combination
- > Adjustable Wrench



RATCHET / SOCKET

- > Hexagon
- > Impact
- > Spark Plug
- > Universal
- > Accessories



PLIERS

- > Combination
- > Insulated
- > Diagonal Cutter
- > Long / Bent Nose
- > Tower Pincer
- > Circclip
- > Curve Jaw Locking
- > Water Pump



SCREW DRIVER

- > Flat
- > PH
- > Allen Key Long Ball end



HAMMERS

- > Ball Pein

MOBILE TOOL STORAGE

- > 7 Compartment Tool Box



Double open ended spanner

S0512XXXX

DOUBLE OPEN ENDED SPANNER



- > Tested as per DIN 895
- > Chrome -Vanadium plated
- > Matt finish
- > HSN : 82041110



Code	No.	mm	MRP ₹	mm	kg	SB/IB/OB
3370000	S05120607	6 x 7	27.50	97	0.015	10/50/250
3370001	S05120809	8 x 9	28.50	106	0.020	10/50/250
3370002	S05121011	10 x 11	31.00	125	0.040	10/50/200
3370003	S05121213	12 x 13	35.50	135	0.055	10/50/200
3370004	S05121415	14 x 15	42.50	150	0.075	10/50/200
3370005	S05121617	16 x 17	53.00	160	0.100	10/50/200
3370006	S05121819	18 x 19	68.50	176	0.130	10/40/160
3370007	S05122022	20 x 22	86.50	196	0.165	5/25/100
3370008	S05122123	21 x 23	106.50	212	0.220	5/25/100
3370009	S05122427	24 x 27	130.00	245	0.275	5/15/60
3370010	S05122528	25 x 28	153.50	245	0.275	5/15/60
3370011	S05123032	30 x 32	177.00	259	0.410	5/10/30

S0512XXXX

DOUBLE OPEN ENDED SPANNER SET



- > Tested as per DIN 895
- > Chrome-vanadium Plated
- > Matt finish
- > Holder Included
- > HSN : 82041110



Code	No.	Contents	MRP ₹	kg	SB/IB/OB
3370012	S05125008	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22	366.00	0.660	1/5/20
3370013	S05125012	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27 25x28 30x32	938.00	1.880	1/2/8

Double ended ring spanner

S0118XXXX

DOUBLE RING ENDED SPANNER



- > Tested as per DIN 838
- > Made From Chrome vanadium steel 31CrV3
- > Hardened and Tempered
- > Chrome Platted
- > Elliptical pattern
- > HSN : 82041110



Code	No.	mm	MRP ₹	mm	kg	SB/IB/OB
3370014	S01180607	6 x 7	59.00	175	0.055	10/50/300
3370015	S01180809	8 x 9	65.00	185	0.070	10/50/250
3370016	S01181011	10 x 11	77.00	198	0.090	10/50/200
3370017	S01181213	12 x 13	83.00	215	0.115	10/50/200
3370018	S01181415	14 x 15	94.50	228	0.150	10/40/160
3370019	S01181617	16 x 17	112.00	246	0.190	5/25/100
3370020	S01181819	18 x 19	142.00	268	0.235	5/25/100
3370021	S01182022	20 x 22	177.00	292	0.318	5/10/40
3370022	S01182123	21 x 23	206.50	315	0.350	5/10/40
3370023	S01182427	24 x 27	248.00	328	0.450	5/10/30
3370024	S01182528	25 x 28	295.00	342	0.500	5/10/30
3370025	S01183032	30 x 32	383.50	370	0.630	5/10/30

S0118XXXX

DOUBLE RING ENDED SPANNER SET



- > Tested as per DIN 838
- > Made From Chrome vanadium steel 31CrV3
- > Hardened and Tempered
- > Chrome Platted
- > Elliptical pattern
- > Holder Included
- > HSN : 82041110



Code	No.	Contents	MRP ₹	kg	SB/IB/OB
3370026	S01185008	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22	802.50	1.220	1/2/8
3370027	S01185012	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27 25x28 30x32	1912.00	3.150	1/2/4

Combination spanners

S0910XXXX COMBINATION SPANNERS



- > Tested as per DIN 3113A
- > Hardened and Tempered
- > Chrome plated
- > Elliptical pattern
- > HSN : 82041110



Code	No.	mm	MRP ₹	mm	kg	SB/IB/OB
3370028	S09100060	6	33.00	95	0.015	10/50/200
3370029	S09100070	7	33.00	105	0.025	10/50/200
3370030	S09100080	8	34.50	110	0.030	10/50/200
3370031	S09100090	9	33.00	120	0.035	10/50/200
3370032	S09100100	10	35.50	130	0.040	10/50/200
3370033	S09100110	11	40.00	140	0.050	10/50/200
3370034	S09100120	12	41.50	153	0.060	10/50/200
3370035	S09100130	13	45.00	163	0.075	10/50/200
3370036	S09100140	14	53.00	173	0.090	10/50/200
3370037	S09100150	15	60.00	185	0.100	10/50/200
3370038	S09100160	16	65.00	198	0.120	10/50/200
3370039	S09100170	17	82.00	210	0.130	5/25/100
3370040	S09100180	18	83.00	220	0.150	5/25/100
3370041	S09100190	19	99.50	230	0.170	5/25/100
3370042	S09100200	20	112.50	240	0.190	5/25/100
3370043	S09100210	21	122.00	252	0.210	5/25/100
3370044	S09100220	22	125.50	262	0.215	5/25/100
3370045	S09100230	23	147.00	270	0.250	5/60
3370046	S09100240	24	165.50	282	0.270	5/60
3370047	S09100250	25	183.00	302	0.310	5/60
3370048	S09100270	27	236.00	310	0.380	5/60
3370049	S09100300	30	342.50	340	0.500	5/30
3370050	S09100320	32	366.00	360	0.600	5/30

Various

S0310XXXX ADJUSTABLE WRENCH



- > Tested as per DIN ISO 6787:2001
- > Full body Hardened for higher Performance
- > Extra wide design for Comfortable grip
- > Polished head with graduated scale
- > HSN : 82041110



Code	No.	mm	MRP ₹	kg	SB/IB/OB
3370051	S03100008	200	295.00	0.234	1/5/100
3370052	S03100010	250	389.50	0.428	1/5/50
3370053	S03100012	300	496.00	0.700	1/5/25

Sockets 1/2"

S6100XXXX

SOCKET 1/2"

hexagon

- > Square Drive as per DIN 3124
- > Knurled for better gripping
- > Heat formed sockets
- > Distinctive ball catch
- > HSN : 82042000



Code	No.	□"	Ø mm	MRP ₹	↳ mm ◁	Ø	⚖	IB/OB
3370091	S61000806	1/2	8	77.00	38	22	0.048	10/240
3370092	S61000906	1/2	9	77.00	38	22	0.047	10/240
3370093	S61001006	1/2	10	77.00	38	22	0.048	10/240
3370094	S61001106	1/2	11	77.00	38	22	0.050	10/240
3370095	S61001206	1/2	12	82.50	38	22	0.052	10/240
3370096	S61001306	1/2	13	82.50	38	22	0.054	10/240
3370097	S61001406	1/2	14	82.50	38	22	0.056	10/240
3370098	S61001506	1/2	15	82.50	38	21	0.053	10/240
3370099	S61001606	1/2	16	82.00	38	21	0.050	10/240
3370100	S61001706	1/2	17	94.50	38	22	0.065	10/240
3370101	S61001806	1/2	18	100.50	38	23	0.077	10/240
3370102	S61001906	1/2	19	94.50	38	23	0.064	10/240
3370103	S61002006	1/2	20	100.50	38	25	0.078	10/160
3370104	S61002106	1/2	21	106.50	38	25	0.073	10/160
3370105	S61002206	1/2	22	118.00	38	26	0.094	10/160
3370106	S61002306	1/2	23	124.00	38	26	0.100	10/160
3370107	S61002406	1/2	24	130.00	38	26	0.091	10/160
3370108	S61002607	1/2	26	142.00	41	28	0.156	10/80
3370109	S61002707	1/2	27	171.00	43	30	0.152	10/80
3370110	S61002807	1/2	28	177.00	44	32	0.168	10/80
3370111	S61002907	1/2	29	189.00	44	32	0.166	10/80
3370112	S61003007	1/2	30	218.50	44	32	0.183	10/80
3370113	S61003207	1/2	32	236.00	44	34	0.204	10/80

S6300XXXX

IMPACT SOCKET 1/2"



- > Square drive as per DIN 1174-2
- > Heat formed sockets
- > Distinctive ball catch
- > HSN : 82042000



Code	No.	□"	Ø mm	MRP ₹	↳ mm ◁	Ø	⚖	IB/OB
3370121	S63001006	1/2	10	141.50	38	24	0.059	10/240
3370122	S63001106	1/2	11	141.50	38	24	0.063	10/240
3370123	S63001206	1/2	12	141.50	38	24	0.069	10/240
3370124	S63001306	1/2	13	141.50	38	24	0.070	10/240
3370125	S63001406	1/2	14	141.50	38	24	0.073	10/240
3370126	S63001506	1/2	15	141.50	38	24	0.075	10/240
3370127	S63001606	1/2	16	165.00	38	24	0.068	10/240
3370128	S63001706	1/2	17	177.00	38	26	0.089	10/160
3370129	S63001906	1/2	19	189.00	38	25	0.087	10/160
3370130	S63002106	1/2	21	212.50	38	25	0.088	10/160
3370131	S63002208	1/2	22	218.50	38	30	0.145	10/160
3370132	S63002708	1/2	27	271.50	43	30	0.133	10/80
3370133	S63003009	1/2	30	295.00	44	30	0.189	10/80
3370134	S63003209	1/2	32	307.00	44	30	0.209	10/80

SOCKETS

S6102XXXX



SPARK PLUG SOCKET 1/2"

- > Foam rubber insert holds spark plug snugly
- > With magnet
- > Distinctive ball catch
- > HSN : 82042000



Code	No.	"	mm	MRP ₹	↳ mm ↳	kg	IB/OB
3370114	S61021612	1/2	16.0	141.50	65	0.096	10/120
3370115	S61022112	1/2	20.8	183.00	65	0.147	10/120

S65300012



UNIVERSAL JOINT 1/2"

- > Tested DIN 3120/3123/3127
- > For hand operated sockets with square drive
- > Ball end
- > Distinctive ball catch
- > HSN : 82042000



Code	No.	"	MRP ₹	↳ mm ↳	kg	IB/OB
3370119	S65300012	1/2	307.00	73.5	0.151	10/120

Accessories

S6510XXXX

EXTENSION 1/2"



- > Tested DIN 3120/3123/3126
- > For hand operated sockets with square drive
- > Ball end
- > Distinctive ball catch
- > HSN : 82042000



Code	No.	□"	■"	mm	MRP ₹	kg	IB/OB
3370116	S65100014	1/2	1/2	75	177.00	0.120	10/120
3370117	S65100024	1/2	1/2	125	224.50	0.192	10/80
3370118	S65100049	1/2	1/2	250	354.00	0.389	10/40

S65200049

TOMMY BAR 1/2"



- > Tested DIN 3120/3123/3128
- > For hand operated sockets with square drive
- > Ball end
- > Distinctive ball catch
- > HSN : 82042000



Code	No.	■"	MRP ₹	kg	IB/OB
3370120	S65200049	1/2	383.50	0.340	6/36

S6000014

REVERSIBLE RATCHET 1/2"



With Lever change

- > Tested DIN 3122/3120
- > Dual material handle for easy gripping
- > For Gedore Solid Sockets
- > Fine toothed
- > HSN : 82042000



Code	No.	□"	mm	MRP ₹	kg	IB/OB
3370090	S6000014	1/2	258	1062.00	0.548	6/36

Pliers

S2830XXXX COMBINATION PLIER



- > Tested as per DIN ISO 5746:2004
- > Full body Hardened and tempered
- > Made of Forged Special Selected Steel
- > Dual Injection Moulded Sleeve
- > HSN : 82032000



Code	No.	Length mm	MRP ₹	Weight kg	SB/IB/OB
3370054	S28302150	150	330.50	0.242	1/5/100
3370055	S28302200	200	354.00	0.368	1/5/50

S29300200 COMBINATION PLIER - INSULATED



- > Tested as per DIN ISO 5746:2004
- > Full body Hardened and tempered
- > Made of Forged Special Selected Steel
- > Dual Injection Moulded Sleeve
- > Electrical Voltage tested at 1000V
- > HSN : 82032000



Code	No.	Length mm	MRP ₹	Weight kg	SB/IB/OB
3370056	S29300200	200	472.00	0.368	1/5/50

S28402150 DIAGONAL CUTTER PLIER



- > Tested as per DIN ISO 5749:2004
- > Full body Hardened and tempered
- > Made of Forged Special Selected Steel
- > Dual Injection Moulded Sleeve
- > High Cutting Performance with less force
- > HSN : 82032000



Code	No.	Length mm	MRP ₹	Weight kg	SB/IB/OB
3370057	S28402150	150	330.50	0.242	1/5/100

S2850XXXX

LONG NOSE PLIER



- > Tested as per DIN ISO 5745:2004
- > Full body Hardened and tempered
- > Made of Forged Special Selected Steel
- > Dual Injection Moulded Sleeve
- > Long, Flat Serrated Tip
- > HSN : 82032000



Code	No.	l mm	MRP ₹	kg	SB/IB/OB
3370058	S28502150	150	330.50	0.184	1/5/100
3370059	S28502200	200	413.00	0.242	1/5/100

S2851XXXX

BENT NOSE PLIER



- > Tested as per DIN ISO 5745:2004
- > Full body Hardened and tempered
- > Made of Forged Special Selected Steel
- > Dual Injection Moulded Sleeve
- > Long, Flat Serrated Tip
- > Angled Tips
- > HSN : 82032000



Code	No.	l mm	MRP ₹	kg	SB/IB/OB
3370060	S28512150	150	330.50	0.184	1/5/100
3370061	S28512200	200	413.00	0.242	1/5/50

S28904250

TOWER PINCER



- > Tested as per DIN ISO 9242:1988
- > Electronically Induction Hardened
- > Double Dipped Anti-Slip Cushion Grips
- > Black Phosphated for Rust Prevention
- > HSN : 82032000



Code	No.	l mm	MRP ₹	kg	SB/IB/OB
3370062	S28904250	250	413.00	0.426	1/5/50

S27704061

CIRCLIP PLIER INTERNAL STRAIGHT



- > Tested as per DIN ISO 5256:1997
- > Full body Hardened for Better Strength
- > Straight Nose
- > Double Dipped anti-slip cushion grips
- > Black phosphated and Head polished
- > HSN : 82032000



Code	No.	l-mm	MRP ₹		SB/IB/OB
3370065	S27704061	175	295.00	0.19	1/5/100

S27754061

CIRCLIP PLIER INTERNAL BENT



- > Tested as per DIN ISO 5256:1997
- > Full body Hardened for better strength
- > 90deg Angled Nose
- > Double Dipped anti-slip cushion grips
- > Black phosphated and Head polished
- > HSN : 82032000



Code	No.	l-mm	MRP ₹		SB/IB/OB
3370066	S27754061	175	295.00	0.19	1/5/100

S27604061

CIRCLIP PLIER EXTERNAL STRAIGHT



- > Tested as per DIN ISO 5254:1997
- > Full body Hardened for Better Strength
- > Straight Nose
- > Double dipped anti-slip cushion grips
- > High quality spring to ease out work
- > Black Phosphated and Head polished
- > HSN : 82032000



Code	No.	l-mm	MRP ₹		SB/IB/OB
3370067	S27604061	175	295.00	0.19	1/5/100

S27654061

CIRCLIP PLIER EXTERNAL BENT

- > Tested as per DIN ISO 5254:1997
- > Full body Hardened for better strength
- > 90deg angled nose
- > Double dipped Anti-slip cushion grips
- > High quality spring to ease out work
- > Black phosphated and Head polished
- > HSN : 82032000



Code	No.	l mm	MRP ₹	kg	SB/IB/OB
3370068	S27654061	175	295.00	0.19	1/5/100

S27200006

CURVED JAW LOCKING PLIER

- > For clamping and gripping of round and flat stock
- > With adjusting screw and release lever
- > High tensile chrome vanadium
- > HSN : 82032000



Code	No.	l mm	MRP ₹	kg	IB/OB
3370069	S27200006	130	472.00	0.18	6/120

S6255XXXX

WATER PUMP PLIER

- > Tested as per DIN ISO 9343:2004
- > Full body hardened for Better Strength
- > Designed for heavy duty plumbing works
- > Double dipped anti-slip cushion grips
- > Black phosphated for rust prevention
- > Electronically induction hardened jaws
- > HSN : 82032000



Code	No.	l mm	MRP ₹	kg	SB/IB/OB
3370063	S62558107	175	354.00	0.190	1/5/100
3370064	S62558110	250	389.50	0.346	1/5/50

Screwdrivers

S3810XXXX

DUAL COMPONENT SCREWDRIVER

- > Tested as per DIN ISO 2380
- > Made of forged CrV/EN 42 Steel
- > Magnetic tip
- > Ergonomically designed sleeves for best gripping
- > HSN : 82054000



Code	No.	mm	mm	MRP ₹	kg	IB/OB
3370071	S38100319	3.0	100	65.00	0.025	10/300
3370072	S38100519	5.0	100	83.00	0.065	10/300
3370073	S38100619	6.0	125	100.00	0.090	10/200
3370074	S38100829	8.0	150	130.00	0.125	10/150

S3820XXXX

DUAL COMPONENT SCREWDRIVER

PH

- > Tested as per DIN ISO 2380
- > Made of forged CrV/EN 42 Steel
- > Magnetic tip
- > Ergonomically designed sleeves for best gripping
- > HSN : 82054000




Code	No.	PH	mm	MRP ₹	kg	IB/OB
3370075	S38200119	1	100	77.00	0.025	10/300
3370076	S38200219	2	100	94.50	0.065	10/200
3370077	S38200329	3	150	142.00	0.122	10/150

S36615008

HEXAGON ALLEN KEY SET

- > Tested DIN 911
- > Chrome Vanadium steel
- > Hardened throughout
- > Ball end
- > HSN : 82054000



Code	No.	Contents	MRP ₹	kg	IB/OB
3370078	S36615008	1.5 2 2.5 3 4 5 5.5 6 mm	389.50	0.142	40/120

Hexagon Allen Key

S3668/3667XXXX

HEXAGON ALLEN KEY

- > Tested DIN 911
- > Chrome Vanadium steel
- > Hardened throughout
- > Long Ball end
- > HSN : 82054000



Code	No.	mm	MRP ₹	L ₁	L ₂	kg	IB/OB
3370079	S36680214	2	47.50	77	18	0.002	10/1800
3370080	S366802516	2.5	53.00	87.5	20.5	0.005	10/1800
3370081	S36680317	3	71.00	93	23	0.009	10/1800
3370082	S36680419	4	82.00	104	29	0.017	48/720
3370083	S36680523	5	94.50	120	33	0.024	48/720
3370084	S36680627	6	118.00	141	38	0.040	15/240
3370085	S36680830	8	165.50	158	44	0.057	12/240
3370086	S36681239	12	389.50	202	57	0.276	8/80
3370087	S36671444	14	437.00	229	70	0.388	4/40
3370088	S36671751	17	649.00	262	80	0.625	4/40
3370089	S36671964	19	915.00	284	89	0.861	6/30

Striking Tools

S9211XXXX

ENGINEER'S BALL PEIN HAMMER

- > With Ash wood Handle
- > Hardened & Tempered Steel
- > Varnished, Face and Ball Ground
- > HSN : 82052000



Code	No.	MRP ₹	kg	IB/OB
3370136	S92110012	330.50	0.3	6/36
3370137	S92110020	413.00	0.5	6/36

Mobile Tool Storage

S20600073

CANTILEVER TOOL CASE

- > Heavy Duty Special Steel
- > 5 Spacious Compartments and 7 Storage area
- > Double handle for more comfort
- > Without Tools
- > HSN : 82059090



Code	No.	Size	MRP ₹	kg	IB/OB
3370135	S20600073	535x210x260 mm	2950.00	5.2	1/1

S0118XXXX	DOUBLE RING ENDED SPANNER	02
S0310XXXX	ADJUSTABLE WRENCH	03
S0512XXXX	DOUBLE OPEN ENDED SPANNER	01
S6000014	REVERSIBLE RATCHET	06
S0910XXXX	COMBINATION SPANNERS	03
S20600073	CANTILEVER TOOL CASE	12
S27200006	CURVED JAW LOCKING PLIER	10
S27604061	CIRCLIP PLIER EXTERNAL STRAIGHT	09
S27654061	CIRCLIP PLIER EXTERNAL BENT	10
S27704061	CIRCLIP PLIER INTERNAL STRAIGHT	09
S27754061	CIRCLIP PLIER INTERNAL BENT	09
S2830XXXX	COMBINATION PLIER	07
S28402150	DIAGONAL CUTTER PLIER	07
S2850XXXX	LONG NOSE PLIER	08
S2851XXXX	BENT NOSE PLIER	08
S28904250	TOWER PINCER	08
S29300200	COMBINATION PLIER INSULATED	07
S36615008	HEXAGON ALLEN KEY SET	11
S3667/3668XXXX	HEXAGON ALLEN KEY	12
S3810XXXX	SCREWDRIVER FLAT TYPE	11
S3820XXXX	SCREWDRIVER PH TYPE	11
S6100XXXX	HEX SOCKET ½ INCH	04
S6102XXXX	SPARK PLUG ½ INCH	05
S6255XXXX	WATER PUMP PLIER	10
S6300XXXX	IMPACT SOCKET ½ INCH	04
S6510XXXX	EXTENSIONS ½ INCH	06
S65200049	TOMMY BAR ½ INCH	06
S65300012	UNIVERSAL JOINT ½ INCH	05
S9211XXXX	ENGINEER'S BALL PEIN HAMMER	12

DISCLAIMER

This catalogue replaces all previous editions. The photographs and technical details are of the articles at present offered.

Since we are constantly improving our products to keep them at the present state of the art, we reserve the right to make modifications and changes with regard to appearance, dimensions (always in 'mm', if not otherwise stated), weight and properties, as well as in performance. No claim for correction or replacement suppliers, may this be made with regard to products already delivered. Cancellations may be made at any time without there being any grounds for legal claim.

All information on use or safety is non-binding, nor does it replace any legal regulations or those made by professional or trade associations.

We do not accept any liability for printing errors. No supplemental items (tools etc.) are included in the scope of supply. Reprinting, even of excerpts, requires the previous permission in writing by GEDORE. All right reserved worldwide.

We refer to our current agreements and commercial as well as our delivery and payment conditions in the imprint under www.gedore.com

TERMS OF SALES

1. The Prices and Specifications may change without prior notice.
2. All Prices are Maximum Retail Prices and are Inclusive of Goods & Service tax.
3. All orders will be in Standard packaging.

GEDORE INDIA Pvt. Ltd.
Plot No. 148, IMT Manesar, Sector 3,
Gurgaon - 122051, Haryana (India)
Sales hotline : +91 9212606951
E-mail : sales@gedoreindia.com



Brands of GEDORE Group

GEDORE | **GEDORE** red | **GEDORE** solid

YOUR DEALER