



**MASCO
SUPER**

Premium Industrial V-Belts

- **Best** in Performance
- **Best** in Value for money
- **Best** in Durability



PRICE LIST

(w.e.f 1st July, 2022)

	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP
A	Classical Section 'A' Top width:- 13 mm Thickness:- 8 mm Angle Degree:- 40 Mfg. Range (in inch):- 13 - 250											
	A16	54	A40	134	A64	214	A88	295	A112	374	A136	454
	A17	57	A41	137	A65	217	A89	298	A113	378	A137	458
	A18	60	A42	140	A66	220	A90	301	A114	381	A138	461
	A19	64	A43	143	A67	224	A91	304	A115	384	A139	464
	A20	67	A44	147	A68	228	A92	308	A116	388	A140	468
	A21	70	A45	150	A69	231	A93	311	A117	391	A144	481
	A22	73	A46	153	A70	234	A94	314	A118	394	A150	501
	A23	77	A47	157	A71	238	A95	318	A119	397	A158	528
	A24	80	A48	161	A72	241	A96	321	A120	401	A164	548
	A25	83	A49	164	A73	244	A97	324	A121	404	A165	552
	A26	87	A50	168	A74	247	A98	327	A122	407	A180	602
	A27	90	A51	171	A75	251	A99	331	A123	412	A190	636
	A28	93	A52	174	A76	254	A100	334	A124	415	A195	653
	A29	97	A53	177	A77	257	A101	337	A125	418	A198	663
	A30	101	A54	181	A78	261	A102	341	A126	422	A200	670
	A31	104	A55	184	A79	264	A103	344	A127	425	A205	686
	A32	107	A56	187	A80	267	A104	348	A128	428	A210	703
	A33	111	A57	191	A81	270	A105	351	A129	431	A225	753
	A34	114	A58	194	A82	274	A106	355	A130	435	A230	770
	A35	117	A59	197	A83	277	A107	358	A131	438	A232	777
B	A36	120	A60	200	A84	280	A108	361	A132	441	A234	784
	A37	124	A61	204	A85	284	A109	365	A133	445	A235	787
	A38	127	A62	207	A86	288	A110	368	A134	448	A250	837
	A39	130	A63	210	A87	291	A111	371	A135	451		
	Classical Section 'B' Top width:- 17 mm Thickness:- 11 mm Angle Degree:- 40 Mfg. Range (in inch):- 16 - 320											
	B20	91	B52	235	B84	380	B116	525	B148	669	B180	814
	B21	95	B53	240	B85	384	B117	529	B149	673	B181	819
	B22	100	B54	244	B86	389	B118	533	B150	679	B182	823
	B23	104	B55	249	B87	393	B119	539	B151	683	B183	828
	B24	108	B56	253	B88	397	B120	543	B152	688	B184	832
	B25	113	B57	257	B89	403	B121	548	B153	692	B185	837
	B26	117	B58	263	B90	407	B122	552	B154	696	B186	841
	B27	123	B59	267	B91	412	B123	556	B155	701	B187	845
	B28	127	B60	272	B92	416	B124	561	B156	705	B188	851
	B29	131	B61	276	B93	420	B125	565	B157	710	B189	855
	B30	136	B62	280	B94	425	B126	569	B158	715	B190	860
	B31	140	B63	285	B95	429	B127	575	B159	719	B191	864
	B32	145	B64	289	B96	435	B128	579	B160	724	B192	868
	B33	149	B65	293	B97	439	B129	584	B161	728	B193	873
	B34	153	B66	299	B98	443	B130	588	B162	733	B194	877
	B35	159	B67	303	B99	448	B131	592	B163	737	B195	881
	B36	163	B68	308	B100	452	B132	597	B164	741	B197	890
	B37	168	B69	312	B101	457	B133	601	B165	747	B200	904
	B38	172	B70	316	B102	461	B134	606	B166	751	B204	923
	B39	176	B71	321	B103	465	B135	611	B167	756	B208	941
	B40	181	B72	325	B104	471	B136	615	B168	760	B210	949
	B41	185	B73	331	B105	475	B137	620	B169	764	B215	972
	B42	189	B74	335	B106	480	B138	624	B170	769	B218	986
	B43	195	B75	339	B107	484	B139	629	B171	773	B220	995
	B44	199	B76	344	B108	488	B140	633	B172	777	B223	1008
	B45	204	B77	348	B109	493	B141	637	B173	783	B240	1085
	B46	208	B78	353	B110	497	B142	643	B174	787	B250	1130
	B47	212	B79	357	B111	502	B143	647	B175	792	B265	1198
	B48	217	B80	361	B112	507	B144	652	B176	796		
	B49	221	B81	367	B113	511	B145	656	B177	800		
	B50	227	B82	371	B114	516	B146	660	B178	805		
	B51	231	B83	376	B115	520	B147	665	B179	809		

	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP
C	Classical Section 'C' Top width:- 22 mm Thickness:- 14 mm Angle Degree:- 40 Mfg. Range (in inch):- 32 - 450											
	C36	298	C76	627	C116	958	C156	1289	C196	1618	C236	1949
	C37	306	C77	636	C117	966	C157	1296	C197	1627	C237	1958
	C38	314	C78	644	C118	975	C158	1305	C198	1635	C238	1966
	C39	322	C79	653	C119	983	C159	1313	C199	1644	C239	1974
	C40	331	C80	660	C120	991	C160	1322	C200	1651	C240	1982
	C41	338	C81	669	C121	1000	C161	1329	C201	1660	C241	1991
	C42	347	C82	677	C122	1007	C162	1338	C202	1669	C242	1998
	C43	355	C83	685	C123	1016	C163	1346	C203	1676	C243	2007
	C44	364	C84	694	C124	1024	C164	1355	C204	1685	C244	2015
	C45	371	C85	702	C125	1033	C165	1363	C205	1693	C245	2024
	C46	380	C86	711	C126	1040	C166	1371	C206	1702	C246	2031
	C47	388	C87	718	C127	1049	C167	1380	C207	1709	C247	2040
	C48	396	C88	727	C128	1057	C168	1387	C208	1718	C248	2049
	C49	405	C89	735	C129	1065	C169	1396	C209	1726	C249	2056
	C50	413	C90	744	C130	1074	C170	1404	C210	1734	C250	2065
	C51	422	C91	751	C131	1082	C171	1413	C211	1742	C252	2082
	C52	429	C92	760	C132	1091	C172	1420	C212	1751	C254	2099
	C53	438	C93	768	C133	1098	C173	1429	C213	1760	C255	2107
	C54	446	C94	776	C134	1107	C174	1437	C214	1767	C258	2132
	C55	454	C95	785	C135	1115	C175	1445	C215	1776	C260	2149
	C56	462	C96	793	C136	1123	C176	1453	C216	1784	C265	2190
	C57	471	C97	802	C137	1131	C177	1462	C217	1793	C268	2213
	C58	479	C98	809	C138	1140	C178	1471	C218	1800	C270	2230
	C59	487	C99	818	C139	1148	C179	1478	C219	1809	C275	2271
	C60	496	C100	826	C140	1156	C180	1487	C220	1817	C278	2296
	C61	504	C101	834	C141	1164	C181	1495	C221	1825	C280	2315
	C62	512	C102	842	C142	1173	C182	1503	C222	1833	C285	2356
	C63	520	C103	851	C143	1182	C183	1511	C223	1842	C290	2397
	C64	529	C104	858	C144	1189	C184	1520	C224	1851	C295	2438
	C65	537	C105	867	C145	1198	C185	1528	C225	1858	C298	2463
	C66	545	C106	875	C146	1206	C186	1536	C226	1867	C300	2480
	C67	553	C107	884	C147	1214	C187	1544	C227	1875	C305	2521
	C68	562	C108	892	C148	1222	C188	1553	C228	1883	C310	2562
	C69	569	C109	900	C149	1231	C189	1561	C229	1891	C315	2603
	C70	578	C110	909	C150	1238	C190	1569	C230	1900	C320	2644
	C71	587	C111	917	C151	1247	C191	1578	C231	1907	C328	2710
	C72	595	C112	925	C152	1255	C192	1586	C232	1916	C340	2809
	C73	603	C113	933	C153	1264	C193	1594	C233	1924	C350	2892
	C74	611	C114	942	C154	1272	C194	1602	C234	1933	C370	3057
	C75	620	C115	949	C155	1280	C195	1611	C235	1940		
D	Classical Section 'D' Top width:- 32 mm Thickness:- 19 mm Angle Degree:- 40 Mfg. Range (in inch):- 44.5 - 400											
	D105	2066	D120	2362	D144	2834	D175	3444	D220	4330	D270	5314
	D108	2125	D121	2381	D148	2913	D180	3542	D225	4428	D280	5510
	D110	2165	D122	2401	D150	2952	D185	3641	D230	4526	D298	5865
	D111	2185	D123	2421	D152	2991	D190	3739	D235	4625	D300	5904
	D112	2204	D124	2440	D158	3109	D195	3838	D238	4684	D305	6002
	D113	2224	D125	2460	D160	3149	D200	3936	D240	4723	D310	6101
	D114	2244	D128	2519	D162	3188	D204	4015	D248	4881	D328	6455
	D115	2263	D130	2558	D165	3247	D205	4034	D250	4920	D340	6619
	D116	2283	D134	2637	D166	3267	D207	4074	D255	5018	D350	6888
	D117	2303	D135	2657	D168	3306	D208	4093	D260	5117		
	D118	2322	D138	2716	D170	3346	D210	4133	D265	5215		
	D119	2342	D140	2755	D173	3405	D215	4231	D268	5274		

	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP
Wedge Section 'SPZ' Top width:- 10 mm Thickness:- 8 mm Angle Degree:- 40 Mfg. Range (in inch):- 365 - 4000												
SPZ	SPZ600	120	SPZ980	197	SPZ1275	256	SPZ1520	306	SPZ1862	374	SPZ2380	480
	SPZ610	123	SPZ987	198	SPZ1280	257	SPZ1525	307	SPZ1880	379	SPZ2400	483
	SPZ630	127	SPZ1000	201	SPZ1285	258	SPZ1530	308	SPZ1887	380	SPZ2410	485
	SPZ650	130	SPZ1010	204	SPZ1287	260	SPZ1537	310	SPZ1900	382	SPZ2500	504
	SPZ660	132	SPZ1020	206	SPZ1300	262	SPZ1550	312	SPZ1930	389	SPZ2540	511
	SPZ670	135	SPZ1030	207	SPZ1312	264	SPZ1560	314	SPZ1937	390	SPZ2650	533
	SPZ680	137	SPZ1037	209	SPZ1320	266	SPZ1575	318	SPZ1950	392	SPZ2680	540
	SPZ700	141	SPZ1040	209	SPZ1325	267	SPZ1580	318	SPZ1962	395	SPZ2690	541
	SPZ710	143	SPZ1050	211	SPZ1337	269	SPZ1587	320	SPZ1975	397	SPZ2800	564
	SPZ722	146	SPZ1060	214	SPZ1340	269	SPZ1600	322	SPZ1987	400	SPZ2840	572
	SPZ725	146	SPZ1080	218	SPZ1348	272	SPZ1612	324	SPZ2000	403	SPZ3000	603
	SPZ750	151	SPZ1100	221	SPZ1350	272	SPZ1625	327	SPZ2020	406	SPZ3150	634
	SPZ760	153	SPZ1112	223	SPZ1358	274	SPZ1637	330	SPZ2030	408	SPZ3170	638
	SPZ762	153	SPZ1120	226	SPZ1360	274	SPZ1640	330	SPZ2037	410	SPZ3350	675
	SPZ772	155	SPZ1137	229	SPZ1362	274	SPZ1650	332	SPZ2040	411	SPZ3550	715
	SPZ775	155	SPZ1140	230	SPZ1375	277	SPZ1662	335	SPZ2060	415	SPZ3750	754
	SPZ780	157	SPZ1145	230	SPZ1380	278	SPZ1675	337	SPZ2082	419	SPZ3960	797
	SPZ787	159	SPZ1150	231	SPZ1387	279	SPZ1680	338	SPZ2087	420	SPZ4000	805
	SPZ800	161	SPZ1160	233	SPZ1400	281	SPZ1700	343	SPZ2100	423		
	SPZ810	163	SPZ1162	234	SPZ1410	284	SPZ1712	345	SPZ2120	427		
	SPZ825	166	SPZ1167	235	SPZ1420	286	SPZ1720	346	SPZ2140	430		
	SPZ837	169	SPZ1180	238	SPZ1425	287	SPZ1725	347	SPZ2150	433		
	SPZ850	171	SPZ1187	239	SPZ1432	288	SPZ1727	347	SPZ2160	435		
	SPZ862	173	SPZ1200	242	SPZ1437	289	SPZ1737	349	SPZ2170	437		
	SPZ875	176	SPZ1212	244	SPZ1440	290	SPZ1740	350	SPZ2175	438		
	SPZ900	181	SPZ1220	245	SPZ1450	292	SPZ1750	353	SPZ2187	440		
	SPZ920	185	SPZ1225	246	SPZ1457	293	SPZ1762	355	SPZ2200	442		
	SPZ925	186	SPZ1230	247	SPZ1460	293	SPZ1787	359	SPZ2220	447		
	SPZ937	188	SPZ1237	249	SPZ1470	296	SPZ1800	362	SPZ2240	451		
	SPZ940	189	SPZ1240	250	SPZ1480	298	SPZ1820	367	SPZ2260	454		
	SPZ950	192	SPZ1250	252	SPZ1482	298	SPZ1825	367	SPZ2280	459		
	SPZ962	194	SPZ1262	254	SPZ1487	299	SPZ1837	370	SPZ2300	463		
	SPZ975	196	SPZ1270	255	SPZ1500	302	SPZ1850	372	SPZ2360	475		
Wedge Section 'SPA' Top width:- 13 mm Thickness:- 10 mm Angle Degree:- 40 Mfg. Range (in inch):- 576 - 9110												
SPA	SPA660	174	SPA1190	313	SPA1510	397	SPA1925	507	SPA2370	624	SPA3150	829
	SPA670	176	SPA1200	315	SPA1520	400	SPA1932	508	SPA2380	626	SPA3240	853
	SPA800	210	SPA1220	321	SPA1530	403	SPA1937	510	SPA2400	632	SPA3250	855
	SPA825	217	SPA1230	324	SPA1532	403	SPA1950	514	SPA2410	634	SPA3280	863
	SPA850	223	SPA1232	324	SPA1550	408	SPA1960	516	SPA2430	639	SPA3350	881
	SPA875	230	SPA1250	329	SPA1557	410	SPA1982	521	SPA2450	645	SPA3450	908
	SPA900	237	SPA1257	331	SPA1560	411	SPA2000	527	SPA2480	653	SPA3530	930
	SPA925	243	SPA1270	334	SPA1582	416	SPA2010	529	SPA2500	658	SPA3550	934
	SPA950	250	SPA1280	337	SPA1587	417	SPA2020	532	SPA2530	666	SPA3600	947
	SPA975	256	SPA1282	337	SPA1600	422	SPA2030	534	SPA2532	667	SPA3750	987
	SPA995	262	SPA1300	343	SPA1625	428	SPA2050	540	SPA2550	671	SPA3870	1018
	SPA1000	263	SPA1307	344	SPA1632	429	SPA2057	541	SPA2580	679	SPA4000	1053
	SPA1015	267	SPA1320	347	SPA1650	435	SPA2060	542	SPA2582	680	SPA4040	1063
	SPA1030	272	SPA1325	349	SPA1657	436	SPA2070	545	SPA2600	684	SPA4250	1119
	SPA1032	272	SPA1332	350	SPA1660	437	SPA2082	548	SPA2632	693	SPA4500	1185
	SPA1037	273	SPA1340	353	SPA1662	438	SPA2100	553	SPA2650	698	SPA5000	1316
	SPA1040	274	SPA1345	354	SPA1672	440	SPA2120	558	SPA2680	705		
	SPA1050	276	SPA1348	355	SPA1675	441	SPA2132	562	SPA2700	711		
	SPA1060	279	SPA1350	356	SPA1682	442	SPA2140	563	SPA2720	716		
	SPA1070	281	SPA1357	357	SPA1687	445	SPA2150	566	SPA2732	719		
	SPA1082	285	SPA1360	358	SPA1700	448	SPA2160	568	SPA2750	724		
	SPA1090	287	SPA1380	364	SPA1720	452	SPA2170	572	SPA2760	726		
	SPA1100	289	SPA1382	364	SPA1732	456	SPA2180	574	SPA2780	731		
	SPA1107	291	SPA1400	369	SPA1750	461	SPA2182	575	SPA2800	737		
	SPA1120	295	SPA1410	371	SPA1757	462	SPA2200	579	SPA2840	748		
	SPA1130	298	SPA1430	377	SPA1782	469	SPA2240	589	SPA2870	756		
	SPA1132	298	SPA1432	377	SPA1800	474	SPA2250	592	SPA2880	758		
	SPA1140	300	SPA1437	378	SPA1850	487	SPA2280	600	SPA2900	763		
	SPA1150	302	SPA1450	382	SPA1857	488	SPA2300	606	SPA2932	772		
	SPA1157	304	SPA1457	383	SPA1880	495	SPA2332	614	SPA3000	789		
	SPA1180	311	SPA1480	390	SPA1882	495	SPA2340	616	SPA3082	811		
	SPA1187	312	SPA1500	395	SPA1900	500	SPA2360	621	SPA3130	823		



Premium Industrial V-Belts

(w.e.f 1st July, 2022)

	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP
	Wedge Section 'SPB' Top width:- 17 mm Thickness:- 14 mm Angle Degree:- 40 Mfg. Range (in inch):- 1000 - 16824											
SPB	SPB1000	341	SPB1820	620	SPB2360	804	SPB2890	984	SPB3850	1312	SPB5380	1833
	SPB1120	381	SPB1850	631	SPB2380	810	SPB2900	988	SPB3870	1318	SPB5400	1840
	SPB1160	395	SPB1900	647	SPB2400	818	SPB2950	1005	SPB3900	1328	SPB5480	1867
	SPB1210	412	SPB1920	654	SPB2410	821	SPB2980	1015	SPB3950	1346	SPB5600	1907
	SPB1250	426	SPB1950	665	SPB2420	825	SPB3000	1022	SPB4000	1362	SPB5680	1935
	SPB1260	429	SPB1970	671	SPB2430	828	SPB3020	1028	SPB4020	1370	SPB5880	2003
	SPB1280	436	SPB2000	681	SPB2450	834	SPB3050	1039	SPB4050	1380	SPB6000	2044
	SPB1300	442	SPB2020	688	SPB2460	838	SPB3070	1046	SPB4060	1383	SPB6100	2078
	SPB1310	447	SPB2050	699	SPB2480	844	SPB3120	1063	SPB4150	1414	SPB6200	2112
	SPB1320	450	SPB2060	702	SPB2500	852	SPB3150	1073	SPB4190	1427	SPB6300	2146
	SPB1340	457	SPB2070	705	SPB2510	855	SPB3160	1076	SPB4250	1448	SPB6500	2214
	SPB1350	460	SPB2100	715	SPB2530	862	SPB3170	1080	SPB4310	1468	SPB6700	2282
	SPB1400	477	SPB2120	723	SPB2540	865	SPB3180	1083	SPB4350	1482	SPB6800	2316
	SPB1410	481	SPB2150	733	SPB2550	868	SPB3220	1097	SPB4370	1488	SPB7100	2419
	SPB1450	494	SPB2160	736	SPB2580	879	SPB3250	1107	SPB4500	1533	SPB7300	2487
	SPB1465	499	SPB2180	742	SPB2600	886	SPB3275	1116	SPB4560	1554	SPB7500	2555
	SPB1500	511	SPB2200	749	SPB2630	896	SPB3290	1120	SPB4620	1574	SPB8000	2725
	SPB1510	517	SPB2220	757	SPB2650	902	SPB3320	1131	SPB4750	1618	SPB8500	2895
	SPB1540	525	SPB2240	763	SPB2660	906	SPB3350	1141	SPB4820	1641	SPB9000	3066
	SPB1550	528	SPB2250	767	SPB2670	910	SPB3400	1159	SPB4850	1652		
SPC	SPB1600	545	SPB2260	770	SPB2680	913	SPB3450	1175	SPB4920	1676		
	SPB1650	562	SPB2280	776	SPB2700	920	SPB3500	1192	SPB5000	1703		
	SPB1700	579	SPB2285	779	SPB2720	926	SPB3550	1209	SPB5050	1720		
	SPB1720	586	SPB2300	783	SPB2750	936	SPB3600	1226	SPB5070	1727		
	SPB1750	596	SPB2310	787	SPB2800	954	SPB3650	1243	SPB5080	1730		
	SPB1770	603	SPB2330	794	SPB2840	967	SPB3750	1278	SPB5300	1806		
	SPB1800	613	SPB2350	800	SPB2850	971	SPB3800	1294	SPB5350	1822		
	Wedge Section 'SPC' Top width:- 22 mm Thickness:- 18 mm Angle Degree:- 40 Mfg. Range (in inch):- 2000 - 20000											
	SPC2000	1238	SPC2700	1672	SPC3710	2297	SPC4560	2824	SPC6100	3778	SPC8500	5265
	SPC2020	1252	SPC2800	1734	SPC3750	2322	SPC4600	2849	SPC6300	3901	SPC8900	5512
	SPC2050	1270	SPC2850	1765	SPC3800	2353	SPC4610	2855	SPC6340	3927	SPC9000	5575
	SPC2060	1276	SPC2900	1796	SPC3850	2385	SPC4630	2868	SPC6410	3970	SPC9200	5698
	SPC2100	1301	SPC3000	1858	SPC3870	2397	SPC4650	2880	SPC6500	4025	SPC9500	5883
	SPC2120	1313	SPC3050	1889	SPC3900	2416	SPC4700	2911	SPC6550	4057	SPC9800	6070
	SPC2150	1332	SPC3100	1920	SPC3920	2428	SPC4750	2942	SPC6700	4150	SPC10000	6193
	SPC2240	1387	SPC3150	1951	SPC4000	2477	SPC4950	3066	SPC7000	4335	SPC10500	6503
	SPC2280	1413	SPC3180	1970	SPC4050	2509	SPC5000	3097	SPC7100	4398	SPC10600	6565
	SPC2300	1425	SPC3200	1982	SPC4070	2521	SPC5100	3159	SPC7170	4440	SPC11000	6813
	SPC2340	1450	SPC3250	2013	SPC4100	2539	SPC5150	3190	SPC7200	4459	SPC11200	6937
	SPC2350	1455	SPC3260	2019	SPC4150	2570	SPC5200	3220	SPC7300	4521	SPC11800	7308
	SPC2360	1462	SPC3300	2050	SPC4170	2583	SPC5300	3283	SPC7350	4552	SPC12500	7742
	SPC2400	1486	SPC3350	2075	SPC4200	2602	SPC5380	3332	SPC7500	4645	SPC12800	7928
	SPC2420	1499	SPC3450	2136	SPC4250	2632	SPC5400	3344	SPC7640	4731	SPC14000	8671
	SPC2460	1523	SPC3460	2143	SPC4300	2663	SPC5480	3395	SPC7750	4799		
	SPC2500	1548	SPC3500	2168	SPC4350	2694	SPC5600	3468	SPC7800	4831		
	SPC2550	1579	SPC3550	2199	SPC4360	2700	SPC5700	3530	SPC8000	4955		
	SPC2600	1611	SPC3600	2229	SPC4400	2725	SPC5800	3593	SPC8100	5016		
	SPC2650	1641	SPC3650	2260	SPC4500	2787	SPC6000	3716	SPC8300	5141		

	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP
AX	Classical Section 'AX' Top width:- 13 mm Thickness:- 8 mm Angle Degree:- 40 Mfg. Range (in inch):- 23 - 200											
	AX18	113	AX38	239	AX58	365	AX78	491	AX98	616	AX118	742
	AX19	119	AX39	245	AX59	371	AX79	497	AX99	623	AX119	749
	AX20	126	AX40	252	AX60	378	AX80	504	AX100	630	AX120	756
	AX21	132	AX41	258	AX61	384	AX81	509	AX101	635	AX121	761
	AX22	138	AX42	264	AX62	390	AX82	516	AX102	642	AX122	768
	AX23	145	AX43	270	AX63	396	AX83	522	AX103	648	AX123	774
	AX24	151	AX44	277	AX64	403	AX84	529	AX104	655	AX124	781
	AX25	158	AX45	284	AX65	410	AX85	534	AX105	660	AX125	786
	AX26	163	AX46	289	AX66	415	AX86	541	AX106	667	AX126	793
	AX27	170	AX47	296	AX67	422	AX87	548	AX107	673	AX127	799
	AX28	176	AX48	302	AX68	428	AX88	554	AX108	680	AX128	806
	AX29	183	AX49	309	AX69	435	AX89	560	AX109	685	AX129	811
	AX30	188	AX50	314	AX70	440	AX90	566	AX110	692	AX130	818
	AX31	195	AX51	321	AX71	447	AX91	573	AX111	699	AX131	825
	AX32	201	AX52	327	AX72	453	AX92	579	AX112	705	AX132	831
	AX33	208	AX53	334	AX73	460	AX93	585	AX113	711	AX133	837
	AX34	214	AX54	339	AX74	465	AX94	591	AX114	717	AX134	843
	AX35	220	AX55	346	AX75	472	AX95	598	AX115	724	AX136	850
	AX36	227	AX56	353	AX76	479	AX96	604	AX116	730	AX138	868
	AX37	233	AX57	359	AX77	484	AX97	610	AX117	736	AX140	881
BX	Classical Section 'BX' Top width:- 17 mm Thickness:- 11 mm Angle Degree:- 40 Mfg. Range (in inch):- 25 - 200											
	BX28	275	BX48	472	BX68	669	BX88	865	BX108	1062	BX128	1258
	BX29	285	BX49	482	BX69	679	BX89	875	BX109	1072	BX129	1268
	BX30	295	BX50	492	BX70	689	BX90	885	BX110	1082	BX130	1278
	BX31	304	BX51	502	BX71	699	BX91	895	BX111	1092	BX131	1288
	BX32	314	BX52	511	BX72	707	BX92	904	BX112	1102	BX132	1298
	BX33	324	BX53	521	BX73	717	BX93	914	BX113	1111	BX133	1307
	BX34	334	BX54	531	BX74	727	BX94	924	BX114	1121	BX134	1317
	BX35	344	BX55	541	BX75	737	BX95	934	BX115	1131	BX135	1327
	BX36	354	BX56	551	BX76	747	BX96	944	BX116	1141	BX136	1337
	BX37	364	BX57	561	BX77	757	BX97	954	BX117	1151	BX137	1347
	BX38	373	BX58	570	BX78	767	BX98	964	BX118	1161	BX138	1357
	BX39	383	BX59	580	BX79	776	BX99	973	BX119	1171	BX139	1367
	BX40	393	BX60	590	BX80	786	BX100	983	BX120	1179	BX140	1376
	BX41	403	BX61	600	BX81	796	BX101	993	BX121	1189	BX142	1396
	BX42	413	BX62	610	BX82	806	BX102	1003	BX122	1199	BX143	1406
	BX43	423	BX63	620	BX83	816	BX103	1013	BX123	1209	BX144	1416
	BX44	433	BX64	630	BX84	826	BX104	1023	BX124	1219	BX145	1426
	BX45	442	BX65	639	BX85	835	BX105	1033	BX125	1229	BX146	1436
	BX46	452	BX66	649	BX86	845	BX106	1042	BX126	1238	BX148	1455
	BX47	462	BX67	659	BX87	855	BX107	1052	BX127	1248	BX150	1475
CX	Classical Section 'CX' Top width:- 22 mm Thickness:- 14 mm Angle Degree:- 40 Mfg. Range (in inch):- 40 - 200											
	CX32	504	CX52	818	CX72	1132	CX92	1448	CX112	1762	CX132	2076
	CX33	519	CX53	833	CX73	1149	CX93	1463	CX113	1777	CX133	2093
	CX34	534	CX54	850	CX74	1164	CX94	1478	CX114	1794	CX134	2108
	CX35	551	CX55	865	CX75	1179	CX95	1495	CX115	1809	CX135	2123
	CX36	566	CX56	881	CX76	1196	CX96	1510	CX116	1825	CX136	2140
	CX37	583	CX58	912	CX78	1227	CX97	1526	CX117	1841	CX137	2155
	CX38	598	CX59	929	CX79	1243	CX98	1542	CX118	1856	CX138	2171
	CX39	613	CX60	944	CX80	1258	CX100	1574	CX120	1888	CX139	2187
	CX40	630	CX61	959	CX81	1275	CX101	1589	CX121	1903	CX140	2202
	CX41	645	CX62	976	CX82	1290	CX102	1604	CX122	1920	CX141	2218
	CX42	660	CX63	991	CX83	1305	CX103	1621	CX123	1935	CX142	2234
	CX44	692	CX64	1006	CX84	1322	CX104	1636	CX124	1950	CX144	2266
	CX45	707	CX65	1023	CX85	1337	CX105	1651	CX125	1967	CX145	2281
	CX46	724	CX66	1038	CX86	1353	CX106	1668	CX126	1982	CX146	2297
	CX47	739	CX67	1054	CX87	1369	CX107	1683	CX127	1998	CX148	2328
	CX48	756	CX68	1070	CX88	1384	CX108	1699	CX128	2014	CX149	2344
	CX49	771	CX69	1085	CX89	1401	CX109	1715	CX130	2045	CX150	2360
	CX50	786	CX71	1117	CX90	1416	CX110	1730	CX131	2061	CX169	2659

	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP	Size	MRRP
FHP	Speciality Section 'FHP' Top width:- 9.5 mm Thickness:- 5.5 mm Angle Degree:- 40 Mfg. Range (in inch):- 17 - 16											
	FHP 2150	59	FHP 2230	81	FHP 2285	101	FHP 2350	119	FHP 2420	136	FHP 2510	146
	FHP 2160	60	FHP 2240	85	FHP 2290	103	FHP 2360	119	FHP 2430	138	FHP 2520	147
	FHP 2170	60	FHP 2245	87	FHP 2300	106	FHP 2370	119	FHP 2440	140	FHP 2530	148
	FHP 2180	64	FHP 2250	89	FHP 2310	111	FHP 2375	123	FHP 2450	140	FHP 2540	149
	FHP 2190	67	FHP 2260	92	FHP 2320	113	FHP 2380	123	FHP 2460	141	FHP 2550	150
	FHP 2200	71	FHP 2270	95	FHP 2325	113	FHP 2390	124	FHP 2480	143	FHP 2560	151
	FHP 2210	74	FHP 2275	98	FHP 2330	117	FHP 2400	127	FHP 2490	145	FHP 2570	152
	FHP 2220	78	FHP 2280	100	FHP 2340	119	FHP 2410	132	FHP 2500	145		
	Wedge Cogged Section 'SPZX / SPAX / SPAX'											
SPZX SPAX SPBX	SPZX1250	332	SPZX1600	427	SPAX1332	482	SPAX1650	592	SPBX1500	729	SPBX1900	922
	SPZX1350	361	SPZX1800	482	SPAX1400	503	SPAX1700	612	SPBX1600	780	SPBX2000	971
	SPZX1400	375	SPZX1850	491	SPAX1500	539	SPAX1800	649	SPBX1800	875		
	SPZX1437	390			SPAX1600	575						

NOTE:

- All prices are exclusive of GST.
- GST shall be charged extra as applicable.
- All prices are subject to alteration without notice.
- Belts are warranted against manufacturing defects.
- This price list supersedes price list Ref.: 2020/08 w.e.f. 15th August 2020.
- Unlisted sizes : Prices are available upon request.
- All disputes are subject to Mumbai (Maharashtra) jurisdiction..





Premium Industrial V-Belts

The aim of the company is to ensure ISI Standard Quality product with strong technical support by using the very high quality raw materials which alone ensures products long durability.

Application

MASCO SUPER classical V-Belts is an all-round type with a wide range of applications in agricultural, industrial and domestic machinery. MASCO SUPER classical V-Belts provides a technically and economically good design for most ordinary drives.



SALIENT FEATURES:

- Set Free
- Low Stretch
- More Power
- High Heat Resistance
- Anti Static

OUR RANGE OF PRODUCTS:

- Cogged Belts
- Domestic Belts
- Power Loom Belts
- Agriculture Machine Belts

Authorised Dealer of MASCO SUPER

Stamp